

**STRONG,
FAST,
GREEN.**



CATALOGUE



Primers &
Sub-floors



Adhesives &
Sealants



Lacquers
& Finishes



Cleaning &
Maintenance



Chemical
Technologies



Accessories

TOVER[®]

Your formula



INDEX

PRIMERS & SUB-FLOOR

Solvent-free primers	5
Water-based primers	5
Water-based primers	6
Solvent-based primers	6
Adhesion promoters	6 - 7
Self-leveling	7

ADHESIVES & SEALANTS

Two-part adhesives	9
One-part adhesives	10
Vinyl adhesives for wood	11
Restoration of old wood floors	11
Construction adhesives and sealants	11
Construction adhesives and sealants	12
Adhesives for resilient flooring	13 - 14 - 15
Accessories	15

SYNTHETIC GRASS

Adhesives for synthetic grass	16 - 17
Cleansing for synthetic grass	17

LACQUERS & FINISHES

Water-based fillers	19
Water-based sealers	20 - 21
Base for wooden floors	22
Water-based finishes	24 - 25 - 26 - 27
Fire-retardant lacquers	27
Finishes for lacquered wooden floors	28
Solvent-based fillers	29
Solvent-based sealers and lacquer	30
Additives, thinners and solvents	31
Oils and waxes	32 - 33 - 34
Colouring systems	35 - 36 - 37
Ageing and reactive stains	38
Industrial coatings	39
Finishes for resilient flooring	40
Finishes for sports floors	41 - 42
Cleaning of sports floors	43
Treatment for wood decking	45
Treatment for wpc floors	46
Water-based finishes for outdoor wood	46
Accessories for finishing	47 - 48 - 49

CLEANING & MAINTENANCE

Wood floor cleaning	51
Cleaning of stoneware, laminate, resin, LVT floors	51 - 52
Antibacterial sanitizing and protective cleansers	52
Cleansers for decking and wpc	53
Floor maintenance	54 - 55
Wood floor maintenance	56
Floor cleaners	57
Sanding machines	58 - 59 - 60
Accessories for Extreme & Easyxand	61
Vacuum	61

PRODUCTS A-Z

Additional weight	61	PEPP	6
Adeblok T19	5	Pasta Color AW300	31
Adesol 100	11	Pasta Color C.O.	31
Adesol Green	16	Pasta Color L.O.	31
Antique	38	Power Tool Pro	61
Antistatic cloth	47	Primer C1	6
Art Deco	22	Primer C4	7
B Plus	25	Primer MS	5
B.E. Modulator	36	Primer PU100	5
Bag	49	Primer PU-FIX 60	6
Base for antistatic cloth	47	Primer TS	6
Base Gold	21	Pro-Deck	45
Bella	25	Protect UV	39
Belle Epoque	35	Protect LED	39
Bosch Clair	38	Prontostucco RS/40	19
Bosch Vej	38	Pulito Parquet	51
Bravo	20	Quarzo Puro	7
C61 Plus	31	Rallenty	31
Clean&Go	28	Ready-Pro	51
Color Plus	36	Resinal Wax	55
Container	49	Restauro	11
Crema d'Olio	34	Re-Wood	45
Crema PR88	15	Re-Wood	53
Deck-Soap	53	Riflex B12	56
Deteroil	51	Rinovoil	55
Deteroil Bianco	51	Rockfloor F10	7
Diamond blades for concrete	61	Sani Pro	55
Diamond sanding pads	61	Sanifloor	52
Diluyente P/24	31	Saniparquet	52
Diluyente P/100	31	Seitz handle	49
Diluyente RMD/91	31	Seitz Microfibre roller	49
Double trowel	47	Seitz Mohair roller	49
Durolak DD 60	30	Sigil Clack	11
ECO B Plus	25	Sigil MS	10
Epofill 2K	29	Smart	27
Easyxand	59	Soluzione S/28	31
Essenza	24	Solvente A	31
Exact	60	Solvente S/23	31
Extreme	58	Solver AD	22
Fast&Full	20	Sportfloor Base 1K	42
Firestop Pro	27	Sportfloor Cleaner	43
Flex Protect	40	Sportfloor Cleaner N2	43
Flex Color	40	Sportfloor Color	42
Floormac	57	Sportfloor Finish	41
Fondo Antitannino	21	Sportfloor Grip	42
Fondo Isolante AL	30	Sportfloor Grip&Play	43
Fossil	38	Sportfloor Refresh	43
Full Gap	12	Sportfloor Remover	43
Gekol H20	12	Sportfloor Skate	41
Giardino Pulito	17	Steel brush	61
Gran Fondo	30	Stripcoll	15
Green Cleaner	31	Step Control	40
Grey Free	45	Super Gold	21
Grip&Go	28	Telescopic extension	48
Hola handle	48	Tingo Universale	36
Hola Microfibre roller	48	Tintoretto Design	33
Hola roller	49	Tone Up	20
Home Maxi	27	Tovclean	15
I.R.O.	55	Tovcol LVT Fibre+	13
Idroblok 2K	5	Tovcol MPL	14
Idroblok C3	6	Tovcol MS	10
Idroblok Mono	5	Tovcol MS Green	17
Idrofondo H20	20	Tovcol MS LVT	13
Idrofondo industry	39	Tovcol MS LVT Wall	14
Idrofondo Mito	21	Tovcol MS Start	10
Idrolak DR97	25	Tovcol PU2C	9
Idrostucco RS/30	19	Tovcol PU2K	15
L'Olio 100%	32	Tovcol PU2K Green	16
Lega Stucco RS/A	29	Tovcol RP	14
Line Maker	17	Tovcol S/E	11
Liquid tank	61	Tovcol SR	9
Lux	54	Tovcol T91	14
Lux Bianca	55	Tovcol TA	9
Lux Matt	55	Tovcol TP2C	9
LVT Leveller	7	Tovcol TP5	11
Lympha	24	Tovcol TST	14
Make-Up	54	Tovcol Wet&Dry	13
Maxi Oil	34	Tover brush	47
Maxima	24	Toverfix	6
Maxima Flex	40	Tovstick E66	14
Modostuc	19	Tube gun	15
Myfloor Cleaner	51	TV1 Antisilicone	31
Nano-Fix	5	Tynex brush	61
Natural Wood	27	Uniqua Antislip	26
Nettardue	52	Uniqua Natur	26
Notched trowel	15	Uniqua Paint	37
Oil Pro	34	Uniqua SQ	26
Oil spreader cloth	47	Universal Wax	56
Oil spreader support	47	Velcro pads	61
Oil4Sun	45	Wash Pro	57
Oil-Linker	32	WPC Cleaner	53
Omega cage handle	48	WPC Cover	46
Omega handle	48	Xilolac Cerato	46
Omega Mohair roller	48	Xilolac Cerata	46

TOVER WALKING THE WALK.

As temperatures rise and high tides create even higher stakes for the wellbeing of our world, it's all too easy to sit back and "talk the talk" on green.

At Tover we have been proudly walking the walk by powering our manufacturing processes with renewable energy sources since 2010. All of this is important yes, but it is not as important as the most important person in our business. You.

We listen to you, take on board your suggestions and then and only then formulate the highest performance products to help you work better, stronger and faster, ultimately improving your bottom line and putting a smile on your face come your financial year end.

From unrivalled performance MS Polymers, extreme HT LVT adhesives, maximum resistance lacquers and more, Tover truly has it all.



Engaged in the challenge of climate changes

We have chosen to support Plant for the Planet, an international organization promoting the reforestation of the planet and the sensitization of the youngest towards environmental issues. Trees are a precious tool for capturing CO2 and combating global warming: the goal is to plant as many trees as possible, for everyone's sake. An ambitious challenge, in which we are proud to participate together with our customers.



Safe products, recycled plastic packaging

We work to minimize the environmental impact of our products. We are committed to ensuring that our solutions are effective and, at the same time, respectful of the planet.

Our adhesives are EC1 and EC1 Plus certified, guaranteeing their very low emissions of volatile organic compounds (VOC), a fundamental condition for the safety of those who use them every day on construction sites.



Furthermore, our finishes are EN 71-3 certified: so safe that they could even be used on children's toys.



The commitment to sustainability is rooted in our history and guides all our choices:

- In 2012, we achieved a pioneering milestone: we were the first to produce a two-component lacquer isocyanate-free.
- Since the 1990s, we decided to reduce solvents in our products, which we have cut from 60% to 3%.
- Starting in 2024, all our products are packed in recycled plastic. This represents another significant step towards a circular economy, reducing the amount of virgin plastic produced and contributing to a more sustainable management of resources.



CERTIFICATIONS

Quality certifications,
transparency guarantees





Primers &
Sub-floor Prep.

PRIMERS & SUB-FLOOR PREP.





SOLVENT-FREE PRIMERS

Pack.



Primer PU100

One-part polyurethane DPM primer | Solvent-free and quick-drying

Low viscosity polyurethane resin-based primer, solvent-free and odourless. It can be used as a water-proofing DPM (up to 5% R.H.) and consolidating primer agent or to obtain synthetic mortars if mixed with sand. Suitable also for use on underfloor heating systems.



COD. AD16

g/m²
100 - 400

2 x 12 kg

1 - 2 h

3 x 6 kg



Primer MS

Single-component MS polymer, waterproofing primer

It waterproofs subfloors with residual moisture up to 5%, including heated subfloors, and allows wood floor installation after just 1 hour using MS polymer and two-component adhesives. It can also be used as a surface consolidating agent on dusty screeds. Not suitable for substrates subject to continuous rising damp.



COD. AD26

g/m²
80 - 120

3 x 5 kg

1 h



Adeblok T19

Two-part epoxy primer | Solvent-free

Solvent-free two-part epoxy primer, odourless. It can be used as water-proofing DPM (up to 5% R.H.) and consolidating agent on any absorbent and non-absorbent sub-floors including ceramics tiles. If mixed with sand, it enables to make thick repairs on the sub-floor.



COD. AD01

g/m²
150 - 400

2x (5+2,5) L

15 h

WATER-BASED PRIMERS

Pack.



Nano-Fix

Water-based surface consolidating primer

Fast drying one-part primer in water dispersion formulated with resins composed of nanometric particles. Anti-dust, it has a consolidating action on the surface of absorbent substrates like concrete, gypsum, anhydride. It enables bonding with any type of adhesive.



COD. AB31

m²/l
5 - 10

2 x 10 L

1 h

3 x 5 L



Idroblok Mono

Water-based Moisture Barrier

Moisture barrier for substrates with residual moisture up to 5%, including heated subfloors. Suitable for the installation of engineered prefinished parquet flooring. It can be applied before floating installation over underlay and before the application of cement-based self-levelling compounds. Suitable for the installation of engineered wooden and resilient flooring using MS polymer, polyurethane, and epoxy adhesives.



COD. AB41

m²/l
5

3 x 5 L

30'



Idroblok 2K

Two-part water-based epoxy primer | Solvent free

It can consolidate and waterproof sub-floors with high residual humidity (up to RH 5%). Odourless, solvent-free, dilutable with water. Suitable for isolating residues of old adhesives.



COD. AB36

g/m²
150 - 300

2 x 5 kg

8 - 10 h



Primers & Sub-floor Prep.

WATER-BASED PRIMERS

Pack.



Idroblok C3

Three-part water-proofing primer for non-absorbent sub-floors

Epoxy solvent-free three-part primer, it perfectly bonds even on very smooth surfaces like ceramics, sandstone, marble etc. Thus it can be used to water-proof non-absorbent sub-floors promoting the glue adhesion. Recommended for areas with humidity raising.



COD. AD06

g/m²
500 - 700

12 h

2 x 5 kg



Primer C1

Single-component anti-dust primer for absorbent substrates | Solvent-free

Consolidates the surface of absorbent screeds based on cement, gypsum, anhydrite. It prevents excessive water absorption when gluing resilient floors with acrylic adhesives.



COD. AB06

m²/l
5 - 10

1 h

2 x 10 L

3 x 5 L



Primer TS

One-part water-based consolidating primer

One-part water-based primer for surface and deep consolidating of dusty, poor or damaged concrete sub-floors. Once dry, it allows bonding with any type of adhesive.



COD. AB16

g/m²
400 - 2000

2 x 12 kg

SOLVENT-BASED PRIMERS

Pack.



Toverfix

One-part solvent-based polyurethane primer

Polyurethane resin-based primer. It can be used as water-proofing DPM (up to 5% R.H.) and consolidating agent on concrete sub-floors or to obtain synthetic mortars if mixed with sand.

COD. AC26

m²/l
4 - 5

8 h

2 x 10 L

3 x 5 L



Primer PU-FIX 60

One-part solvent-based polyurethane primer | MDI-free

High solid polyurethane MDI-free primer. It can be used as water-proofing DPM and consolidating agent and it is particularly suitable to block old-floors. Mixed with wooden dust, it can be used as a filler for big cracks.



COD. AC33

m²/l
3 - 5

6 h

3 x 5 kg

ADHESION PROMOTERS

Pack.



P.E.P.P.

Solvent-based primers for adhesives

Ready-to-use one-part primer to promote the anchorage of epoxy and polyurethane adhesives on pre-existing non-absorbent sub-floors like ceramic tiles, sandstone.



COD. AC11

m²/l
25 - 35

5' - 10'

3 x 5 L

12 x 1 L



ADHESION PROMOTERS

Pack.



Primer C4

Water-based adhesion promoter for self-leveling compounds

Ready-to-use one-part primer to promote the anchorage of leveling compounds on any type of sub-floor. It can be used also to promote adhesion between 2 leveling compound coats.


m²/l
5 - 10

3 x 5 L

COD. AB11

SELF-LEVELING

Pack.



Rockfloor F10

Fiber-reinforced self-leveling compound

Rockfloor F10 enables leveling up to 10 mm thick even on irregular concrete sub-floors before the installation of wooden flooring. It is also suitable on deformable screeds before the installation of resilient floors coverings.


kg/m²
1,7 x mm

25 kg

12 h

1050 kg

COD. AA06



Quarzo Puro

Pure siliceous aggregate

Quarzo Puro is a controlled granulometry quartz sand, washed, dried and selected with constant particle size. Suitable on primers to promote adhesives adhesion on concrete. Can be used to make mortars, concrete.

25 kg

1050 kg

COD. AA11



LVT Leveller

Ready-to-use grout smoother for LVT

Ready-to-use grout smoother to be applied before laying a bonded or floating LVT or SPC. Easy to sand, it allows leveling (up to 2 mm) without creating thickness and sanding is possible after just 2 hours.



g/m²

90 x 5 kg

2 - 3 h

COD. AA21





ADHESIVES & SEALANTS.



TWO-PART ADHESIVES

Pack.



Tovcol TP2C

Two-part epoxy-polyurethane adhesive | Solvent-free

High performance epoxy-polyurethane adhesive. Suitable for bonding any species, solid, engineered and prefinished wood floors on absorbent and non-absorbent sub-floors. Excellent resistance and hardening even if a thick layer is applied, it enables to lay also on irregular sub-floors. Its high workability makes mixing and application easier and improves yield. Twin Pack System.



COD. BB51

g/m²
900 - 1400

POT LIFE
2 h

55 x
(9,9+1,1) kg


Tovcol TA

Two-part epoxy-polyurethane adhesive | Solvent-free

High performance epoxy-polyurethane adhesive. Suitable for bonding any species, solid, engineered and prefinished wood floors on absorbent and non-absorbent sub-floors. Excellent resistance and hardening even if a thick layer is applied, even over irregular sub-floors. Its high workability makes mixing and application easier and improves yield. Twin Pack System.



COD. BB46

g/m²
1000 - 1500

POT LIFE
2 h

55 x
(9,9+1,1) kg


Tovcol PU2C

Two-part polyurethane adhesive

Two-part polyurethane adhesive, odourless. Suitable for laying solid and engineered wood floor on all types of sub-floors. Easy-to-apply, it enables an elastic and tough bonding. Twin Pack System.



COD. BB26

g/m²
800 - 1300

POT LIFE
60' - 70'

55 x
(9,9+1,1) kg

90 x
(4,5+0,5) kg


Tovcol SR

Two-part polyurethane adhesive for small repairs | Solvent-free

Two-part polyurethane adhesive. Extremely quick setting. Suitable for urgent bonding and wood floor repairs on any sub-floor, it enables sanding in a very short time.



COD. BB41

g/m²
1000 - 1400

POT LIFE
90'

10 x (0,9+0,1) kg

**TOVCOL SR:
PERFECT TO
START LAYING**






MS POLYMER ADHESIVES. STRONG - ELASTIC.



ALSO AVAILABLE
IN ECO-BOX



ONE-PART ADHESIVES

Pack.



Tovcol MS

One-part silane-modified adhesive | MS Polymer

MS polymer one-part adhesive. Holds its peak and has a long open time. Suitable to bond any wood species and any size of engineered flooring. For solid wood bonding of up to 200 mm wide boards; no need for a primer on non-absorbent and metallic sub-floors. Easy to clean and coverage of 15-16 m per 15kg bucket.



ELASTIC

COD. BB21

g/m²
700 - 1200

44 x 15 kg

6 - 8 h

Packed into
aluminium bags of 7,5 kg



Tovcol MS Start

One-part silane-modified adhesive | MS Polymer

MS polymer one-part adhesive. Holds its peak well and has a long open time. MS Start is guaranteed to bond any size and species of engineered flooring and solid boards up to 140 mm wide. Suitable for small lamellas as it does not swell. MS Start has exceptional coverage of 16-18 m per 15kg bucket.



ELASTIC

COD. BB56

g/m²
700 - 1200

44 x 15 kg

6 - 8 h



Sigil MS

Elastic sealant adhesive | MS Polymer

Sigil Ms is highly elastic and guarantees a tough bonding for any type of flooring except plastic materials. It is useable also in a vertical position for bonding stairs, profiles, skirting boards, etc. Easy to clean from hands and prefinished floors.



ELASTIC

COD. BH01

OPEN TIME
30' - 40'

20 x 600 ml

6 - 8 h



VINYL ADHESIVES FOR WOOD

Pack.



Tovcol S/E

Vinyl glue for industrial pressure wood floors assembling

Poly-vinyl-acetate water-based emulsion suitable for bonding wood elements like frames, panels, engineered wood floors and laminate flooring requiring a good water resistance, both indoor and outdoor. After drying the adhesive is completely transparent and has a D3 water resistance according to EN 204 standard.



COD. BA11



9 x 5 kg



Tovcol TP5

Vinyl glue for wood, floating wood floor and laminate floors

Water-based glue, solvent-free, for bonding of wooden self-locking floors and laminates. It guarantees a quick setting, and is totally transparent with water resistance to D3 class (according to DIN EN 204 standard). Suitable also for bonding small wooden parts.



COD. BA26



20 x 500 ml

RESTORATION OF OLD WOOD FLOORS

Pack.



Adesol 100

One-part polyurethane adhesive | For repairs

One-part polyurethane adhesive, solvent-free. Its characteristic of expansion makes it particularly suitable for quick fixing and repair of wooden parts. It can be used before and after wood floor sanding.



COD. BB01



20 x 500 ml



Restauro

Elastic expanding resin

One-part odourless moisture cure resin. It is suitable to block old wooden floors, not perfectly fixed. Odourless, it does not create any discomfort to house inhabitants.



COD. AD21



3 x 3 kg

CONSTRUCTION ADHESIVES AND SEALANTS

Pack.




Sigil Clack

Sealant for laminate and click-system flooring

Water-based sealant for click-system flooring in laminate and wood. Prevents the swelling of floor joints in areas where moisture can be high like kitchens, bathrooms etc. It hermetically seals the joints without bonding them, enabling to remove the flooring without damaging it.



COD. BG06



20 x 500 ml



CONSTRUCTION ADHESIVES AND SEALANTS

Pack.



Full Gap

Acrylic coloured sealant

Acrylic sealant, overpaintable, silicone free, with high tack and good elasticity. It can be used for wood floor joints and cracks (perimeter joints, skirting boards, etc), wood in general and all porous materials used in the building industry.



12 x 310 ml

COD. BG01

Colour chart



White
002



Sand Oak
185



Light Oak
007



Doussié /
Cherry
014



Teak /
Light Walnut
015



Wengé /
Dark Walnut
020



Gekol H20

Quick setting construction adhesive

Water-based adhesive with a very quick initial tack suitable to fix, also in vertical position, light elements like skirting boards, wooden, metallic and PVC profiles, gypsum panels, expanded polyurethane panels, PE, polystyrene on absorbent sub-floors like concrete, wood, stone, etc.



24 x 310 ml

COD. BA36

GEKOL H20
QUICK-SETTING,
SOLVENT-FREE.





ADHESIVES FOR RESILIENT FLOORING.



ADHESIVES FOR RESILIENT FLOORING

Pack.



Tovcol Wet&Dry Universal adhesive for resilient and textile floors

Suitable for indoor bonding of all resilient and textile floors. Permanent bonding if laid with still fresh adhesive (waiting time 10' - 20'); permanent stickiness if laid on partially dry, still sticky adhesive.



90 x 6 kg

44 x 12 kg

COD. BD31



Tovcol LVT Fibre+ One-part LVT fibre-reinforced acrylic adhesive

Tovcol LVT Fibre+ is the fibre-reinforced acrylic-based solvent-free adhesive, no waiting time, suitable for LVT flooring on any type of absorbent sub-floors, with quick and strong initial tack, an excellent adhesion and a perfect dimensional stability.



90 x 5 kg

44 x 12 kg

COD. BD21



Tovcol MS LVT One-part silane-modified adhesive for LVT | MS Polymer

One-part MS adhesive for LVT, SPC, PVC, rubber and linoleum. Suitable for laying on any kind of sub-floor. It is particularly resistant to dampness, water, heat, static and dynamic loads. It is perfect for commercial and industrial environments, and secure for the user as isocyanate and solvent-free.



90 x 5 kg

COD. BE11



ADHESIVES FOR RESILIENT FLOORING

Pack.



Tovcol MS LVT Wall

One-part MS Polymer adhesive for LVT on walls

One-part MS adhesive for LVT and SPC installation on walls, it doesn't leak and prevents the covering to slip down. It is suitable on both absorbent and non-absorbent surfaces and can be used to apply every kind of resilient and textile covering. Particularly resistant to humidity, water and heat, it is suitable for commercial and industrial environments.



COD. BE16

g/m²
350 - 400



90 x 5 kg



Tovcol RP

One-part acrylic adhesive for any type of resilient coverings

Solvent-free acrylic glue for bonding indoor resilient coverings on absorbent surfaces. Universal, it is suitable for PVC and vinyl, rubber, cork and textiles.



COD. BD01

g/m²
200 - 400



90 x 7 kg

44 x 15 kg



Tovcol MPL

One-part acrylic adhesive for any type of resilient coverings

Solvent-free high-sticky acrylic glue for bonding indoor resilient coverings on absorbent surfaces. Universal, it is suitable for PVC and vinyl, rubber, cork and textiles.



COD. BD16

g/m²
200 - 400



44 x 15 kg



Tovcol TST

One-part pressure sensitive acrylic adhesive for resilient coverings

Solvent-free acrylic glue for bonding indoor resilient coverings like textiles, PVC, linoleum on absorbent and non-absorbent surfaces also in vertical position. Thanks to the permanent tack of the adhesive, the flooring can be removed without any damage.



COD. BD06

g/m²
150 - 250



90 x 6 kg



Tovstick E66

One-part neoprene adhesive for PVC and plastic flooring

Neoprene double buttering adhesive for bonding indoor PVC and plastic flooring on both absorbent and non-absorbent sub-floors. The glue has an immediate set.



COD. BD06

g/m²
300



850 ml

5000 ml



Tovcol T91

Two-part epoxy-polyurethane adhesive

Two-part epoxy-polyurethane adhesive for bonding resilient floors like PVC, rubber, linoleum and textiles both indoor and outdoor on absorbent and non-absorbent sub-floors. Light brown, red, black and green colours. It can be applied in vertical position, too. Twin Pack System.



COD. BE01

g/m²
250 - 400



55 x
(9,9+1,1) kg



ADHESIVES FOR RESILIENT FLOORING

Pack.



Tovcol PU2K

Two-part polyurethane adhesive for resilient flooring

Two-part polyurethane adhesive, water and solvent-free, for indoor and outdoor installation of rubber, LVT and PVC flooring. Twin Pack System.


g/m²
300

POT LIFE
60' - 70'

55 x
(9,9+1,1) kg

COD. BE06

ACCESSORIES

Pack.



Stripcoll

Remover for adhesive residues

Alcoholic cleanser to remove adhesive residues, even dry from wooden floors and laminates. It is also very efficient to remove dirt and shoes black marks on sports floors.

12 x 1 L

COD. DD46



Tovclean

Hand cleaning wet-wipes

Tovclean is a non-woven fabric (slightly abrasive on one side, soft on the other) damped with a very effective cleanser solution that eliminates all kinds of dirt. It is a practical way to clean your hands quickly without using soap and water. It effectively eliminates oils, tar, glues, paints, silicones. Removes petrol, diesel smells from hands, leaving them delicately scented. The product is enriched with natural emollients and moisturisers. Dermatologically tested.

6 x 70 pcs

COD. FE01011



Crema PR88

Water soluble barrier cream

Crema PR88 is a water soluble barrier cream, with a glycerin base, which provides effective protection against a wide variety of greases, oils, lacquers, paints, polyurethane glues, PU-resins, epoxy resins, berglass, tar, dyes, resins, inks, graphite, gasoline, most solvents, etc.

12 x 1000 ml

COD. FE01012

Notched trowel



Type 5	10 mm tooth	20 cm width
Type 6	8 mm tooth	20 cm width
Type 2	3 mm tooth	20 cm width
Type A2	1.4 mm tooth	18 mm width

Type 5 / 6 / 2

12 pcs

Type A2

10 pcs

COD. FD03011



Tube gun

Manual gun for applying adhesives and sealants in 600 ml sausages.

1 pc

COD. FD02016



Synthetic
Grass

SYNTHETIC GRASS.

ADHESIVES FOR SYNTHETIC GRASS

Pack.



Tovcol PU2K Green

Two-part polyurethane adhesive for turf

Two-part polyurethane adhesive for bonding of PVC and synthetic grass both indoor and outdoor on absorbent and non-absorbent sub-floors. Available green. Twin Pack System.



g/m²
1000 - 1200

POT LIFE
60' - 70'

55 x
(9,9+1,1) kg



Adesol Green

Polyurethane adhesive for synthetic grass

It allows the gluing of the joint strips between the synthetic grass sheets in residential areas, both indoor and outdoor. Its high adhesion characteristics make it extremely resistant. Also suitable for small repairs. Solvent-free.



Water Resistant
D4

6 - 8h

20 x 500 ml

COD. BE31

TOVCOL PU2K GREEN
EN 12228:2013
FIFA COMPLIANT.





ADHESIVES FOR SYNTHETIC GRASS

Pack.



Tovcol MS Green

One-part MS polymer adhesive for synthetic grass

Perfect for bonding synthetic grass in decorative applications. Also suitable for small repairs. Easy to apply, water and solvent-free.



COD. BE36



90 x 5 kg



Line Maker

Water-based lacquer for natural and synthetic grass play areas

Suitable for indoor and outdoor playing fields, it is characterised by high coverage and a final matt and natural appearance.



COD. CJ16



60 x 7,5 kg

44 x 15 kg

CLEANSING FOR SYNTHETIC GRASS

Pack.



Giardino Pulito

Concentrated cleaner for synthetic grass

Fast-acting concentrated cleaner for synthetic lawns, thoroughly cleans and regenerates the appearance of the grass. Formulated to guarantee long-lasting results. Also suitable if pets are present.

COD. EA46

12 x 1 L

3 x 5 L





Lacquers &
Finishes

LACQUERS
& FINISHES.

RUNWAY
RESISTANCE.





WATER-BASED FILLERS

Pack.



Idrostucco RS/30

Water-based filler to be mixed with wooden dust

Odourless and quick-drying water-based resin to be mixed with wooden dust to fill wood floor scratches and joints. Easy to sand and very good filling action.



COD. CA01



3 x 5 L



Prontostucco RS/40

Ready-to-use water-based filler for smoothing wooden floor

Ready-to-use water-based coloured filler for smoothing and filling wooden floor. Easy to apply, odourless and quick drying. Available in Oak and Teak colours.



COD. CA11



12 x 1 kg

90 x 5 kg



Modostuc

Ready-to-use coloured plastic filler

Suitable for filling knots and repairing large wood cracks. High filling power and fast drying. Available colours: White, Oak, Walnut, Dark Walnut, Cherry, Teak, Beech.

COD. CA06



12 x 500 ml





WATER-BASED SEALERS

Pack.



Idrofondo H20

One-part water-based sealer | Natural effect

Water-based sealer recommended to keep the natural aspect and original colour of the wood. It improves the uniform absorption into the wood, making the application of lacquers easier.



m²/l
10 - 12



3 x 5 L

COD. CC21



Fast&Full

Water-based Self-Linking pre-lack for wood flooring | Two coat finishing

Fast&Full is the high coverage Self-Linking water-based pre-lack suitable on any wood species for a natural effect. It is easy to sand after 2 hours and allows finishing in just 2 coats with water-based Tover lacquers.



m²/l
10 - 12



3 x 5 L

COD. CC76



Tone Up

One-part water-based sealer | Warming effect

Water-based sealer recommended to obtain a warmer look. Particularly suitable on exotic woods.



m²/l
10 - 12



3 x 5 L

COD. CC02



Bravo

One-part water-based sealer | Easy to apply

One-part easy to apply water-based sealer. Formulated to get optimal application and sandability. Ideal for all wood species, including exotic ones. Natural effect.



m²/l
10 - 12



3 x 5 L

COD. CC91

BRAVO WHAT A SHOW!

THE EASIEST





WATER-BASED SEALERS

Pack.



Idrofondo Mito

Two-part water-based sealer | Natural effect

Two-part water-based sealer with an excellent covering action even on porous woods, it keeps the natural aspect of the wood. It replaces a coat of lacquer and allows finishing in just two coats.



COD. CC26



2 x (5+0,5) L



Base Gold

Two-component water-based primer | Excellent workability

Easy to apply and allows the finishing cycle to be completed in just two coats with Tover water-based finishes. Natural effect.



COD. CC06



2 x (5+1) L



Super Gold

Two-part water-based primer | Super warming effect

Excellent covering performance and intense warming action on all wood species, especially the exotic ones. Easy-to-apply, it has a very long working time such as to minimize the risk of overlaps, allowing finishing in only two coats.



COD. CC08



2 x (5+1) L



Fondo Antitannino

One-part isolating primer

Water-based impregnation pre-treatment to be used before applying whitening water-based products. Compulsory on woods rich of tannin or colouring substances like ipé, merbau, etc.



COD. CC56



3 x 5 L

12 x 1 L



ART DECO. THE EASIEST FIRST COAT.

BASE FOR WOODEN FLOORS

Pack.



Art Deco

Base coat for wooden floors – Evens out and simplifies finishing

Ready-to-use base coat for wooden floors, over-coatable with one- or two-component water-based finishes, oils, and oil-based lacquers. Available in the following versions: Neutral – colourless, Nature – slightly whitening, and Intense – tone-enhancing effect. Coloured versions in various wood shades are also available. All versions can be mixed together. Less intense colours can be obtained by mixing the coloured versions with the neutral one. Suitable for all wood species, it ensures the best results on light and absorbent woods. Easy to apply, it allows large surfaces to be coloured without the risk of overlaps.



m²/l

20 - 30



12 h

12 x 1 L

COD. DB21



Solver AD

Reactivating solution for Art Deco

Reactivates Art Deco even after complete drying, allowing correction of any defects or variations in colour intensity. To even out more extensive irregularities, the solution can be mixed with a small amount of Art Deco.

10 x 500 ml

COD. DD66




THREE STEPS FOR A PERFECT FINISH

1



APPLICATION
with oil spreader

2



SPREADING
with buffing machine

3



CORRECTION
with Solver AD



ALL THE POSSIBILITIES TO COMPLETE THE FINISHING CYCLE



**TWO-COMPONENT WATER-BASED
LACQUERS**



**ONE-PART WATER-BASED
LACQUERS**



HARDWAX OILS



THE STRONGEST ON THE SCENE

WATER-BASED FINISHES.

WATER-BASED FINISHES

Pack.



Maxima

Two-part water-based lacquer | Very intense traffic

Maximum performance for extremely intense traffic environments like public places and commercial areas. Easy to use, with a long working time, it keeps the original colour of the wood, even on exotic species. Gloss scale: extra-matt, matt, semi-glossy, glossy.



m²/l

12 - 14



3 - 4 h

2 x (5+0,5) L

COD. CE81



Essenza

Two-part water-based lacquer | Total invisible look

Essenza is the two-part water-based lacquer for a perfect nude look on light woods like oak or maple. Even if the finishing is totally invisible, the lacquer guarantees extremely high resistance to scuffing and abrasion even in the most demanding commercial environments. Gloss scale: extra-matt.



m²/l

12 - 14



3 - 4 h

2 x (5+0,5) L

COD. CE66



Lympa

Two-part water-based lacquer | Unfinished rough effect

Lympa is the two-part water-based lacquer providing the wood with a total natural look. It creates an open pore effect like an oil treatment. Particularly easy to use, it avoids overlapping thanks to its deep penetration into the wood. Perfect on exotic wood to keep the original colour, it has an excellent resistance to abrasion, wear and household chemicals. Gloss scale: extra-matt.



m²/l

12 - 14



3 - 4 h

2 x (5+0,5) L

COD. CE31



WATER-BASED FINISHES

Pack.



Idrolak DR97

Two-part water-based lacquer | Natural effect

Idrolak DR 97 is the two-part water-based lacquer achieving a very good finishing, keeping the original wood colour, even for exotic woods. Very easy to apply, it has a long working time and an excellent chemical and physical resistance. Gloss scale: extra-matt, matt, semi-glossy.


m²/l

12 - 14



3 - 4 h

2 x (5+0,5) L

COD. CE21



Bella

Two-part water-based lacquer | Isocyanate-free

Bella is the two-part water-based lacquer with good covering action, recommended for heavy traffic areas. Totally isocyanate free, the product is safer during and after the application. Particularly easy to use, it has excellent properties of resistance to household chemicals and abrasion. Gloss scale: extra-matt, matt, semi-glossy, glossy.


m²/l

12 - 14



3 - 4 h

2 x (5+0,5) L

COD. CE61



B Plus

Hardener for two-part water-based lacquers and primers

It can be used to catalyze all Tover water-based lacquers and sealers.

1 L

500 ml

250 ml

100 ml

COD. CE58



ECO B Plus

Isocyanate-free hardener

It can be used to catalyse Bella, Uniqua and Natural Wood.



500 ml

250 ml

100 ml

COD. CE62

WE HAVE BEEN
READY FOR YEARS.

BELLA

THE FIRST ISOCYANATE
FREE TWO-PART LACQUER



Be part of it.



UNIQUEA

THE FIRST SELF-LINKING WATER-BASED LACQUER.



WATER-BASED FINISHES

Pack.



Uniqua SQ

One-part Self-Linking water-based lacquer | Very high traffic

Uniqua SQ is the 100% polyurethane water-based lacquer for very intense traffic. It has exceptional long-lasting protection qualities, without the addition of any hardener. Uniqua SQ guarantees excellent mechanical performances: high resistance against abrasion, scratches, black heel marks and household chemicals. Gloss scale: extra-matt, matt, semi-glossy, glossy. No primer needed.

3 x 5 L



COD. CE41

m²/l

12 - 14



3 - 4 h

Uniqua Natur

Invisible effect

Pack.

3 x 5 L

COD. CE41

Uniqua Antislip

Antislip certified



Pack.

3 x 5 L

COD. CE43



WATER-BASED FINISHES

Pack.



Home Maxi

One-part Self-Linking water-based lacquer

Home Maxi is the Self-Linking lacquer for medium traffic areas. It creates a uniform aspect and in a few days it reaches a very good chemical and abrasion resistance. Perfect on exotic wood to keep the original colour. With its extra-matt version, a very natural aspect can be achieved. Gloss scale: extra-matt, matt, semi-glossy, glossy.



COD. CE06

m²/l

10 - 12



2 - 3 h

3 x 5 L



Smart

One-part water-based lacquer

Smart is the one-part water-based lacquer for residential use. Good properties of resistance to abrasion and household chemicals. It keeps the natural aspect of the wood. Gloss scale: matt, semi-glossy.



COD. CE71

m²/l

10 - 12



2 h

3 x 5 L



Natural Wood

Water-based finish – Invisible look

Invisible finish with an open pore aspect. Very strong, it guarantees high protection performance against scratches, wear and stains. Formulated with vegetable resins, the product is eco-friendly and safe as EN71-3 certified. Natural Wood can be used as a one-part lacquer or two-component with the addition of B Plus or Eco B Plus.



COD. CH26

m²/l

12 - 14



6 - 8 h

4 x 2,5 L

12 x 1 L

FIRE-RETARDANT LACQUERS

Pack.



Firestop Pro

Two-part water-based lacquer | Fire-retardant

Two-part water-based fire-retardant lacquer for on site or industrial application. Fire resistance class: B_{fl}-s1 according to the EN 13501-1 European Standard, on any wooden species. Highly resistant to intense traffic, it is in compliance with the EN 14904 standard for sports floors finishing. Gloss scale: matt.



COD. CE53

m²/l

N.A.



8 - 10 h

2 x (5+1) L



FIRESTOP PRO.

FIRE RESISTANT.
SUITABLE FOR INTENSE TRAFFIC.





FINISHES FOR LACQUERED WOODEN FLOORS **CLEAN&GO** + **GRIP&GO SYSTEM.**



FINISHES FOR LACQUERED WOODEN FLOORS - CLEAN&GO + GRIP&GO SYSTEM

Pack.



Clean&Go

Degreasing and wax removing cleanser

Clean&Go is the degreaser and wax remover to be used for the preparation of wooden floors before using the Grip&Go adhesion promoter. It removes old waxes and stubborn dirt.

m²/l

20

12 x 1 L

3 x 5 L

COD. EB16



Grip&Go

Adhesion promoter for two-part water-based lacquers

Grip&Go is the two-part water-based sealer that can be used as an adhesion promoter to renew the wooden floor finish without sanding down to the wood. Easy to use, it can be applied directly to surfaces already lacquered with water-based or solvent-based finishes. It can be overcoated with Tover two-component water-based lacquers.

m²/l

15 - 18



2 h

2 x (4+1) L



COD. CC86



SOLVENT-BASED FINISHES.

SOLVENT-BASED FILLERS

Pack.



Lega Stucco RS/A

Low odour solvent-based filler

Quick-drying solvent-based resin to be mixed with wooden dust to fill wood floor scratches and joints. The product does not shrink and has excellent filling properties.



2 x 10 L



3 x 5 L

COD. CB21



Epofill 2K

Two-part epoxy filler for repairing knots | Coloured

It penetrates deeply into the wood cracks, and is characterized by a long workability. Available in Oak, Dark Walnut and Black colours.



0,75 + 0,25 kg



COD. CB31



SOLVENT-BASED SEALERS

Pack.



Fondo Isolante AL

One-part solvent-based sealer

Alcoholic solvent-based impregnating sealer with quick-drying time. Easy-to-apply, it guarantees excellent isolating and covering properties. It can be overcoated with both solvent-based polyurethane lacquers and water-based lacquers.

m²/l

10 - 12



1 - 2 h

3 x 5 L

COD. CD36



Gran Fondo

Two-part solvent-based sealer

Solvent-based polyurethane two-part sealer with high covering properties. It quickly dries and is easy to sand. In compliance with the European standards on VOC limitations.

m²/l

10



8 h

10 + 10 L

2 x (5+5) L

COD. CD26

SOLVENT-BASED POLYURETHANE LACQUERS

Pack.



Durolak DD 60

Two-part polyurethane lacquer

High solid solvent-based polyurethane two-part lacquer with good properties of application and leveling. The surface film reaches optimum values of chemical resistance combined with a high strength to abrasion and wear. Gloss scale: semi-glossy.

m²/l

10 - 12



24 h

2 x (5+5) L

COD. CF03



ADDITIVES, THINNERS AND SOLVENTS		Pack.
Rallenty Water-based retardant for water-based lacquers Water-based retardant to slow down the drying time of water-based lacquers in hot or dry application conditions. It limits the risk of overlapping.	COD. DC06	12 x 1 L
Soluzione S/28 Solution for the cleaning of tools and machines Solution for the cleaning of tools and machines used with water-based finishes. Diluted, it also enables the storage of rollers and brushes between two applications.	COD. DC16	2 x 10 L 3 x 5 L
C61 Plus Anti-mold impregnating agent, to be used to prevent woodworm attacks	COD. CI06	3 x 5 L 12 x 1 L
TV1 Antisilicone Anti-silicone additive	COD. DD56	100 g
Pasta Color AW300 White water-soluble pigmented paste	COD. DA26	1 kg
Pasta Color C.O. Pigmented paste dilutable in aromatic solvents. RAL colours	COD. DB01	1 kg
Pasta Color L.O. Pigmented paste dilutable in aliphatic solvents. Yellow, Red, White	COD. DB06	1 kg
Diluyente P/24 Polyurethane thinner Polyurethane thinner to be added to polyurethane primers and solvent-based PU lacquers to improve their penetration into sub-floors or make the application easier.	COD. DD11	2 x 10 L 12 x 1 L
Diluyente P/100 Thinner for Primer PU100 Odourless thinner for Primer PU100 and all polyurethane primers. It decreases a lot the primer viscosity to improve its penetration into the sub-floor.	COD. DD06	12 x 1 L
Diluyente RMD/91 Thinner for oils, waxes and hardwax oils Slow evaporation aliphatic thinner specific to dilute oils, waxes and hardwax oils.	COD. DD16	3 x 5 L 12 x 1 L
Green Cleaner Thinner for the dilution of oils and waxes Slow evaporation odourless aliphatic thinner specific for the dilution of impregnating oils and waxes and the cleaning of tools and machines used with oiled based products or hardwax oils.	COD. DD61	2 x 10 L 12 x 1 L
Solvente A Thinner for epoxy-polyurethane adhesives High-quality solvent to dilute epoxy-polyurethane adhesives and to clean tools. It can be added to epoxy-polyurethane adhesives up to 5% to dilute them.	COD. DD31	3 x 5 L 12 x 1 L
Solvente S/23 Thinner for tools cleaning Washing solvent to clean tools used with solvent-based lacquers.	COD. DD36	2 x 10 L 3 x 5 L 12 x 1 L



OILS & WAXES.



OILS & WAXES

Pack.



L'Olío 100%

Solvent-free natural hardwax oil | 100% dry residue

L'Olío 100% is a natural product based on oils and natural hard waxes of vegetable origin. Water and solvent-free, it is 100% solid and has an extremely high coverage, to be applied in one coat only. Its wax content efficiently protects the wood and provides visual and tactile smoothness. Mixed with Oil-linker its resistance against stains and abrasion is even stronger. Gloss scale: matt.

Standard colours: White, Milk, Artic, Light walnut, Antique walnut, Dark walnut, Teak, Wengé, Black.

Exclusive colours: Light grey, Grey, Warm grey, Smoke, Pearl, Rose, Rose grey, Halifax, Smoke, Stone, Tobacco, Cappuccino, Whisky, Cherry, Mahogany, Anthracite, Honey, Lilla, Green grass, Moss, Blue capri, Night blue.
(see table on next page)



m²/l

35 - 40



6 - 8 h

NEUTRAL

4 x 2,5 L

12 x 1 L

100 ml

COLOURS

4 x 2,5 L

12 x 1 L

COD. CG41



Oil-Linker

Natural oil cross-linker

Oil-Linker is a cross-linker to be mixed with Tover natural oils to increase their strength properties against wear and stains. Oil-Linker enhances the links among oil molecules, achieving a higher performance.



POT LIFE
8 h

250 ml

100 ml

COD. CG51



OIL COLOUR CHART

Colour chart

Neutral 001	Light 229	White 002	Milk 256	Artic 079
Light Grey 113	Grey 022	Warm Grey 286	Smoke 081	Pearl 080
Rose Grey 089	Halifax 126	Stone 061	Fumé 107	Tobacco 108
Whisky 082	Cherry 014	Mahogany 012	Teak 015	Light Walnut 016
Antique Walnut 018	Wengé 020	Black Ebony 021	Anthracite 087	Honey 098
Green Grass 053	Moss 116	Blue Capri 054	Night Blue 115	Lilla 097

OILS AND WAXES

Pack.



Tintoretto Design Colouring oil base

Ready-to-use colouring oil base. It can be overcoated with Tover two-part water-based lacquers and oils. It enables to colour large surfaces without risk of overlapping. It exists in neutral and coloured versions to create endless shades.

Standard colours: White, Milk, Artic, Light walnut, Antique walnut, Dark walnut, Teak, Wengé, Black.

Exclusive colours: Light grey, Grey, Warm grey, Smoke, Pearl, Rose, Rose grey, Halifax, Smoke, Stone, Tobacco, Cappuccino, Whisky, Cherry, Mahogany, Anthracite, Honey, Lilla, Green grass, Moss, Blue capri, Night blue.

m²/l
30 - 40

6 - 8 h

NEUTRAL

12 x 1 L

COLOURS

12 x 1 L

COD. CG47



OILS AND WAXES

Pack.



Crema d'Olio Natural hardwax oil

Crema d'Olio is a high yield, easy to use hardwax oil for an open pore aspect. It deeply penetrates into the wood, nourishing it; its wax content effectively protects the surface, giving a soft appearance and touch.



COD. CG01



4 x 2,5 L



12 x 1 L

URETHANE HARDWAX OILS

Pack.



Oil Pro High resistance hardwax oil | Soft touch

Oil Pro is a highly resistant hardwax oil that successfully combines the softness of an oil with the strength of a lacquer. It penetrates deeply and creates a protection against stains, scratches and abrasion. Safe for people and the environment, it is easy to use. Unlike a traditional oil, it does not require extraordinary maintenance. Gloss scale: extra-matt, semi-glossy.



COD. CG56



4 x 2,5 L



12 x 1 L



Maxi Oil High strength hardwax oil

Maxi Oil is a high strength hardwax oil with excellent resistance against traffic and chemicals. Easy to apply. Gloss scale: extra-matt, matt, semi-glossy, glossy. Minimum quantity for a coloured version: 20 litres. Available in coloured version.



COD. CF28



4 x 2,5 L



12 x 1 L





COLOURING SYSTEMS.

EXPERIENCE THE COLOUR

COLOURING SYSTEMS

Pack.



Belle Epoque

One-part water-based stain

One-part water-based stain for wood. It gives a distressed aspect to any species. Overcoatable with oils and lacquers. Using B.E. Modulator, it is possible to get lighter effects.

m²/l

20

12 x 1 L



10' - 15'

100 ml



A+



COD. CC71


Colour chart




Burnt
297



Chocolate
264




Antique Walnut
019




Ash
138



Double Smoked
317




Teak
015




Caramel
166




Ocher
262




Chestnut
009




Sahara
271



Dove
135




Clay
269




Tea Grey
270



Green Grey
239



Moss Grey
263



Antique Grey
242



COLOURING SYSTEMS

Pack.



B.E. Modulator

Colour modulator for Belle Epoque stain

B.E. Modulator reduces the colour intensity of the Belle Epoque stains, to get lighter and easily reproducible shades.

12 x 1 L

500 ml

COD. CC71



Tingo Universale

Concentrated colouring pigments

Concentrated colouring pigments to be added to any type of water or solvent-based lacquer to colour the wood. Available in Oak, Doussié, Teak, Mahogany, Walnut, Wengé, Black, Red, Blue and Green versions.

500 ml

COD. DA21



Color Plus

Colour additive for water-based primers and lacquers

Color Plus is the concentrated colouring additive for Tover water-based primers and lacquers. It is available in two versions: White and Antique. The first one naturally whitens light woods to obtain an untreated look and is particularly effective when combined with natural effect finishes; the second one gives the wood a warmer shade.




White

100 gr

Antique


100 gr

COD. CC81



1 coat added with
Color Plus Bianco

2 coats added with
Color Plus Bianco



1 coat added with
Color Plus Antico

2 coats added with
Color Plus Antico



COLOURING SYSTEMS

Pack.



Uniqua Paint

One-part water-based Self Linking lacquer | Full painted effect

Water-based Self-Linking coloured paint recommended for very high traffic areas. It has exceptional long-lasting protection qualities with no need for a hardener. It combines an extremely easy use with excellent mechanical properties and elasticity. Gloss scale: matt.


m²/l

8 - 10



4 - 5 h

4 x 2,5 L





12 x 1 L








METALLIC COLOURS





4 x 2,5 L

12 x 1 L

COD. CE41

Colour
chart

Black
260

Carrob
266

Anthracite
087

Traffic Grey
277

Shadow Grey
102

Quarz Grey
268

Andromeda
278

Squirrel Grey
289

Dust Grey
261

Silk Grey
148

Agate Grey
090

Beige
030

White
259

Light Blue
291

Red
111

Copper
290

Gold
272

Silver
274

Cast-Iron
319

LET'S COLOUR IN ONLY TWO COATS!





AGEING AND REACTIVE STAINS

Pack.



Antique

Water-based oxidizing stain | Aged effect

Water-based oxidizing stain to be applied on woods rich of tannin to get an aged aspect. Easy to use, it is overcoatable with water-based lacquers, natural and hardwax oils. Particularly recommended to enhance brushed woods.



Natural

Antique

COD. DA01

m²/l

5 - 10



12 h

3 x 5 L



Bosch Vej

Water-based oxidizing stain | Aged smoked effect

Water-based oxidizing stain to be applied on woods rich of tannin to get an aged smoked aspect. Easy to use, it is overcoatable with water-based lacquers, natural and hardwax oils. Particularly recommended to enhance brushed woods.



Natural

Bosch Vej

COD. DA11

m²/l

5 - 10



12 h

3 x 5 L

12 x 1 L



Bosch Ciair

Water-based oxidizing stain | Aged bleached effect

Water-based oxidizing stain to be applied on woods rich of tannin to get an aged bleached aspect. Easy to use, it is overcoatable with water-based lacquers, natural and hardwax oils. Particularly recommended to whiten brushed woods.



Natural

Bosch Ciair

COD. DA06

m²/l

5 - 10



12 h

3 x 5 L


12 x 1 L



Fossil

Water-based oxidizing stain | Greying effect

Water-based oxidizing stain, it reacts with woods rich of tannin. The wood takes an aspect which goes from intense grey to lighter shade depending on the product concentration and the quantity of tannin. Easy to use, it is overcoatable with water-based lacquers, natural and hardwax oils.



Natural

Fossil

COD. DA41

m²/l

5 - 10




12 h

3 x 5 L

12 x 1 L



INDUSTRIAL COATINGS.



INDUSTRIAL COATINGS

Pack.



PROTECT UV

UV protective coating for wooden floors | Solvent-free

Designed for application with roller coating machines.
Photopolymerization: UV lamps.
Coverage rate: 20–25 g/m² in two coats.
Waiting time before curing: not required.
Sanding: immediately after curing.
Gloss level: matt 10–15 gloss / extra matt 6–8 gloss.

10 L

COD. CE21

ISOCYANATE
FREENMP/NEP
FREE

PROTECT LED

LED protective coating for wooden floors | Solvent-free

Designed for application with roller coating machines.
Photopolymerization: LED lamps.
Coverage rate: 20–25 g/m² in two coats.
Waiting time before curing: not required.
Sanding: immediately after curing.
Gloss level: matt 10–15 gloss.

10 L

COD. CE21

ISOCYANATE
FREENMP/NEP
FREE

Idrofondo industry

One-part water-based coloured primer for industrial application

Suitable for industrial application. Its drying speed allows to complete the lacquering cycle in a short time. Available in a wide range of colours, it can be overcoated with any Tover water-based lacquer.

m²/l

15 - 25

4 x 2,5 L



1 h



A+ A B C

NMP/NEP
FREEISOCYANATE
FREE

COD. CC61



FINISHES FOR RESILIENT FLOORING.



FINISHES FOR RESILIENT FLOORING

Pack.



Maxima Flex

Two-component water-based finish for resilient floors

High-performance finish suitable for public areas subject to very heavy traffic. Easy to use, with excellent flow and levelling properties. Available in extra matt, matt, semi-gloss, and gloss versions. Anti-slip class R11 when added with Step Control.



2 x (5+0,5) L



COD. CE83



Step Control

Powder additive for anti-slip finishes

When added at 5% by weight to Maxima and Maxima Flex, it provides an anti-slip effect classified as R11 according to EN 16165:2023 standard.



COD. CE86

250 g



Flex Protect

Two-component water-based finish for resilient floors | Fire-retardant

Fire-retardant finish certified Bfl-s1 according to European standard EN 13501-1 for rubber, PVC, and linoleum floors. Extremely durable, it is easy to apply thanks to its excellent workability and long pot-life. Available in matt finish.



2 x (5+1) L



COD. CC48



Flex Color

Water-based colouring system for resilient floors

Suitable for line marking and the creation of large coloured areas on rubber, PVC, and linoleum floors for residential, commercial, and sports use. Intense and uniform colours already with the first coat.



4 x (2,5+0,25) L



COD. CE55



FINISHES FOR SPORTS FLOORS.



FINISHES FOR SPORTS FLOORS

Pack.



Sportfloor Finish

Two-part water-based lacquer for wooden sports floors

Two-part lacquer certified according to EN 14904 standard for sports floors. It is very easy to apply on large surfaces and is particularly suitable for heavy wear and intense traffic. It also keeps the original colour of the wood unchanged. Gloss scale: matt, glossy.



2 x (5+0,5) L

COD. CE56



Sportfloor Skate

Two-part water-based high resistance lacquer for wooden sports floors. Certified fire-retardant

Two-part water-based fire-retardant lacquer for sports wooden flooring. Fire resistance class: C_{fl}-s1 according to the EN 13501-1 European Standard, on any wooden species. Highly resistant to intense traffic, it is in compliance with the EN 14904 standard for sports floors finishing. Gloss scale: matt.



2 x (5+1) L

COD. CE51



FINISHES FOR SPORTS FLOORS

Pack.



Sportfloor Color

Two-part water-based paint for game lines and areas

Two-part paints suitable for lines and areas marking. They have both high covering and excellent adhesion properties on wooden surfaces. Available in many colours.




4 x (2,5+0,25) L

COD. CC46

Colour Chart

Other colours on demand according to RAL colour chart



RAL 9010



RAL 9001



RAL 1013



RAL 7044



RAL 9017



RAL 6006



RAL 7040



RAL 7035



RAL 7030



RAL 7004



RAL 1023



RAL 1018



RAL 1014



RAL 5015



RAL 5013



RAL 5012



RAL 5005



RAL 5018



RAL 2009



RAL 3002



RAL 3000



RAL 3011



RAL 3020



RAL 3005



RAL 6018



RAL 6029



RAL 6021



RAL 6032



Sportfloor Grip

Two-part water-based sealer for UV prefinished sports floors

Two-part sealer for sportive wooden floorings. Very easy to apply, it has been formulated to ensure a perfect adhesion of marking paints and finishing products on prefinished floors.



2 x (5+0,5) L

COD. CC41



Sportfloor Base 1K

One-part water-based sealer for unfinished sports floors

One-part sealer to be applied as first coat on large surfaces; it is easy to apply and to sand and does not change the original aspect of the wood. Its adhesion with successive finishing products is excellent.



3 x 5 L

COD. CC51



CLEANING OF SPORTS FLOORS

Pack.



Sportfloor Cleaner Sanitizing cleanser for sports floors

Sportfloor Cleaner is a cleanser specific for the daily cleaning of wooden sports floors. Highly concentrated, it can be used for a normal maintenance but also to remove residues of grease and shoes black marks.

12 x 1 L

COD. EA36



Sportfloor Grip&Play Anti-slip agent for sports floors

Sportfloor Grip&Play is an agent with cleaning and anti-slip properties specific for wooden sports floors. It can be used before the game to clean the players' shoe soles. Perfect for dance flooring.

12 x 1 L

COD. EA41



Sportfloor Refresh Protection/Refresh product for sports floors

It renews worn sports floors by restoring their initial characteristics. Complies with the UNI EN 14904 standard regarding the slipperiness of sports floors. Gloss scale: matt, glossy.

12 x 1 L



COD. EA46



Sportfloor Cleaner N2 Concentrated cleanser for heavy dirt

Sportfloor Cleaner N2 is to be used to remove black marks, grease residues and impurities. It also helps to renew the antiskid properties of the surface.

12 x 1 L

COD. EC19



Sportfloor Remover Sticky residue remover

Sportfloor Remover is the cleanser removing particularly persistent traces of dirt and sticky residues, like those left by adhesive tape, walkable stickers used for advertising purposes or the anti-slip strips on steps and terraces.

12 x 1 L

COD. EA51



Outdoor
Finishes

OUTDOOR FINISHES.





TREATMENT FOR WOOD DECKING

Pack.

**Pro-Deck****Water-based long-lasting protection for outdoor**

Water-based protection agent, it deeply penetrates into the wood giving a typical open pore aspect. It has a water-proof action but leaves the wood breathe. Pro-Deck has got excellent UV resistance properties and offers extremely long-lasting protection even onto surfaces subject to critical climatic conditions. It is very easy to apply and renew, can be used in horizontal and vertical position.

m²/l

10 - 12

10 L



15' - 20'

4 x 2,5 L

12 x 1 L

COD. CH22

Colour
chart

Neutral - 001



Teak - 015



Grey - 022

**Oil4Sun****Natural oil for outdoor**

Impregnating oil specific for a deep protection of wooden floors outdoor (decking, furniture, terraces, swimming pools borders) in horizontal and vertical position. It is water-proof, it does not peel and it gives the wood a typical open pore aspect. It treats the wood against UV rays and the other climatic elements, slowing down the wood deterioration.

m²/l

15 - 20

4 x 2,5 L



12 - 24 h

12 x 1 L

COD. CG21

Colour
chart

Neutral - 001



Teak - 015



Wengé - 020



Grey - 022

**Re-Wood****Concentrated cleanser for decking**

Highly concentrated decking cleanser. It removes the dirt nestled in the wood fibres and, if used in higher concentration, also the residues of previous treatments.

12 x 1 L


COD. EC11

**Grey Free****Restoring solution for grey wood**

Specific product for the treatment of damaged, grey and dull wood. It enables to easily remove the grey patina due to mildew and UV rays and to renew the original brightness of the wooden surface.

12 x 1 L

COD. DA16





Outdoor Finishes

TREATMENT FOR WPC FLOORS

Pack.



WPC Cover

Protection agent for Wood Plastic Compound terraces

Water-based protection agent for WPC elements (decking, terraces, etc). It protects the surface avoiding the absorption of oils and grease and consequent spots and marks. It improves the original colour durability of WPC structures.

m²/l

15 - 20

3 x 5 L



2 - 4 h

12 x 1 L

COD. CH16

WATER-BASED FINISHES FOR OUTDOOR WOOD

Pack.



Xilolac Cerata

Impregnating water-based agent for cladding | Wax effect

Protects the wood from atmospheric agents, woodworms, fungi and harmful microorganisms. Prevents moisture rot and mold. Easy to apply, it dries quickly and does not peel. Easily renewable.

m²/l

10 - 12

10 L



10' - 15'

4 x 2,5 L


12 x 750 ml

NMP/NEP
FREE


ISOCYANATE
FREE

COD. CH02

Colour
chart




Neutral
001




Douglas
006




Light Walnut
016




Teak
015




Chestnut
009




Cherry
014



Mahogany
012




Dark Walnut
019



Wengé
020



Black Ebony
021



Dark Green
049



White
002

Xilolac Cerata

Water-based lacquer for outdoor wood | Wax effect

It effectively protects surfaces from atmospheric agents, allowing them to breathe. Its filters prevent degradation and fading caused by UV rays. It does not peel. Gloss scale: matt and glossy.

m²/l

10 - 12

10 L



1 - 2 h

4 x 2,5 L

12 x 1 L

NMP/NEP
FREE

ISOCYANATE
FREE

COD. CH07



ACCESSORIES FOR FINISHING

Pack.



Base for antistatic cloth

Size 55x10 cm

5 pcs

COD. FD03002A000



Antistatic cloth

50 pcs box
Size 64x29 cm

12 pcs

COD. FD03003A000



Tover brush

180x40 mm

12 pcs

COD. FD03004A000



Tover brush

70x15 mm

12 pcs

COD. FD04016A000



Oil spreader support

Support for oil spreader cloth
35 cm

10 pcs

COD. FD03005A000



Oil spreader cloth

35 cm

20 pcs

COD. FD03006A000



Double trowel

27 cm

25 pcs

COD. FD03013A027



ACCESSORIES FOR FINISHING		Pack.
	Telescopic extension Aluminium 200 cm	20 pcs
	COD. FD03007A000	
	Omega cage handle 250 mm Ø 45 mm	10 pcs
	COD. FD04001A000	
	Omega Mohair roller Spare roller for cage handle 250 mm Ø 45 mm 6 mm hair	12 pcs
	COD. FD04004A000	
	Omega handle Pressure handle 250 mm Ø 8 mm	10 pcs
	COD. FD04003A000	
	Omega Mohair roller Spare roller for cage handle 250 mm Ø 40 mm 6 mm hair	12 pcs
	COD. FD04005A000	
	Hola handle Red combi cage handle 250 mm	10 pcs
	COD. FD05001A000	
	Hola Microfibre roller Spare roller for cage handle 250 mm	6 mm hair 12 pcs 10 mm hair 12 pcs
	6 mm hair COD. FD05004A000 10 mm hair COD. FD05005A000	



ACCESSORIES FOR FINISHING

Pack.



HOLA roller

Complete roller for primers
250 mm

20 pcs

COD. FD05006A000



Seitz handle

Pressure handle
250 mm
Ø 8 mm

20 pcs

COD. FD07001A000



Seitz Mohair roller

Spare roller
250 mm
4 mm hair

10 pcs

COD. FD07006A000



Seitz Microfibre roller

Spare Microfibre roller
250 mm
8 mm hair

10 pcs

COD. FD07005A000



Container

Rectangular container for lacquers
12 litres
35x25x20 cm

5 pcs

COD. FD07002A000



Bag

Polurene bag for lacquers
25 pcs/pack

40 pcs

COD. FD03008A000



CLEANING & MAINTENANCE.





WOOD FLOOR CLEANING

Pack.



Pulito Parquet

Natural soap for lacquered wood floors

Natural soap particularly suitable for the frequent cleaning of wooden floors. Thanks to its neutral pH and wax content, it cleans and refreshes the surface, respecting the wood finishing.

12 x 1 L

COD. EA16



Deteroil

Natural soap based on coconut oil for oiled wood floors

Natural soap suitable for the frequent cleaning of wood floors. Very effective, it respects and refreshes the oil finishing.

12 x 1 L

COD. EA06



Deteroil Bianco

Natural soap based on coconut oil for whitened oiled wood floors

Natural soap suitable for the frequent cleaning of whitened wood floors. Very effective, it respects and refreshes the oil finishing.

12 x 1 L

COD. EA06

CLEANING OF STONEWARE, LAMINATE, RESIN, LVT FLOORS

Pack.



Ready-Pro

Antistatic natural cleanser for laminate floors

Antistatic natural cleanser for laminate floors. Once dry it is totally streak-free

12 x 1 L

COD. EA21



Mylfloor Cleaner

High-concentrated cleanser for flooring

Neutral high-concentrated cleanser for the frequent cleaning of any surface. Thanks to its excellent degreasing properties, it gets very good results even on high-traffic areas and can clean greasy dirt effectively.

12 x 1 L

COD. EA56



CLEANING OF STONEWARE, LAMINATE, RESIN, LVT FLOORS

Pack.



Nettardue

Concentrated cleanser to remove intense dirt

Concentrated degreasing and de-waxing cleanser. It removes previous layers of metallized waxes from vinyl flooring, PVC, rubber and linoleum.

12 x 1 L

COD. EB01

ANTIBACTERIAL SANITIZING AND PROTECTIVE CLEANSERS

Pack.



Sanifloor

Sanitizing cleanser for floors

Concentrated sanitizing cleanser for any kind of floor, based on benzalkonium chloride (classified as biocide by ECHA) and hydrogen peroxide. It can remove dirt and acts effectively against germs, bacteria (Gram+ and Gram-), fungi, algae and spores. Ideal for daily cleaning of ceramic tiles, porcelain stoneware, marble, terracotta, PVC, LVT, rubber, wood and laminate, it is also delicate on surfaces and streak-free. Suitable for pet spaces.

12 x 1 L

BIOCIDE
BY ECHA

COD. EA66



Saniparquet

Sanitizing cleanser for wooden floors

Concentrated sanitizing cleanser for lacquered and oiled wood floors based on benzalkonium chloride (classified as biocide by ECHA) and hydrogen peroxide. It can remove dirt and acts effectively against germs, bacteria (Gram+ and Gram-), fungi, algae and spores. Ideal for daily cleaning, it is delicate on surfaces and streak-free. Suitable for pet spaces.

12 x 1 L

BIOCIDE
BY ECHA

COD. EA26





CLEANSERS FOR DECKING AND WPC

Pack.



Deck-Soap

Natural soap based on coconut oil for decking

Natural soap with coconut oil for decking. It cleans and nourishes the wood, improving the protective characteristics of the finishing. High degreasing power.

12 x 1 L

COD. EA07



Re-Wood

Concentrated cleanser for decking

Highly concentrated decking cleanser. It removes the dirt nestled in the wood fibres and, if used in higher concentration, also the residues of previous treatments.

12 x 1 L

COD. EB11



WPC Cleaner

WPC neutral cleanser

WPC Cleaner is a neutral cleanser specifically formulated to clean WPC surfaces. Thanks to its strong degreasing efficiency it gets the best results on high traffic areas, even if stained with grease or oil.

12 x 1 L

COD. EA61





FLOOR MAINTENANCE.

FLOOR MAINTENANCE

Pack.




Make-Up

Regenerating product for laminate, LVT, vinyl and resins floors


Make-up refreshes scratched and dull laminate floorings and brings them back to their initial beauty. Applied on new floors, it enhances the colour and creates a protective water-proof film on the surface, resistant to abrasion. It protects the floor and improves appearance. Gloss scale: matt, glossy.

12 x 1 L

COD. EC21



Before



After



Lux

Reviving wax for wood floors

Natural waxes emulsion. It refreshes and protects dull and worn surfaces. Product for a periodical maintenance of lacquered and natural or coloured oiled wood floors.

12 x 1 L

COD. EC11



FLOOR MAINTENANCE

Pack.



Lux Matt Refreshing wax for wood floors

It refreshes dull and worn wood flooring finished with matt neutral or coloured oils or lacquers. Suitable for periodical maintenance.

12 x 1 L

COD. EC12



Lux Bianca Reviving wax for whitened and bleached wood floors

Natural waxes emulsion. It refreshes and protects dull and worn surfaces. Product for a periodical maintenance of bleached lacquered and oiled wood floors.

12 x 1 L

COD. EC11



Sani Pro Protective and regenerating product for any surface | Antibacterial action

It can regenerate dull and worn surfaces and protect them from germs and bacteria. It forms a film resistant to scratches and stains and, thanks to its silver ion content, ensures a permanent antibacterial action, as long as the applied layer is not worn. Suitable for all types of floors and furniture.

12 x 1 L



COD. EC18



I.R.O. Water-proofing protective agent for oiled floors

Ready-to-use product formulated with neutral resins to grant water-proof, anti-spot and dirt properties to floors treated with oils. Lets the wood breathe.

12 x 1 L

COD. EC01



Resinal Wax High resistance protective wax

Self-polishing wax suitable to restore scratched and worn floors. Recommended for the maintenance of lacquered wood floors, linoleum, PVC and terra cotta. It creates on the surface a water-proof washable film, resistant to alcohol and wear. Available in glossy and mat version.

12 x 1 L

COD. EC16



Rinovoil Maintenance oil

Ready-to-use blend of oils and natural waxes for a quick and easy periodical maintenance of neutral and coloured oiled surfaces. It regenerates and renews dull and locally worn woods.

12 x 1 L

COD. CG31



WOOD FLOOR MAINTENANCE

Pack.



Universal Wax Creamy wax for wooden floors

Creamy blend of pure bee and carnauba waxes. It can be used as a finishing product or for a maintenance treatment on floors, stairs and furniture. Easy to use and quick to dry, it enables to get a rich warm effect, easy to renew. The whitening version is recommended on bleached or white oiled floors. Available in neutral version, walnut and white colours.

12 x 1 L

COD. ED06



Riflex B12 Water-proof emulsion of waxes and essential oils

Product based on natural hard waxes to protect and maintain unfinished, waxed and neutrally oiled wood, stone and terra cotta. It creates a pleasantly smooth and bright surface. Available in neutral version, walnut and white colours.

12 x 1 L

COD. ED01





FLOOR CLEANERS



Hard black brush for
cleaning decking



Medium grey brush for
cleaning wood floor indoor

Wash Pro Professional floor cleaner

It cleans deeply leaving the surface dry. For indoor and outdoor, it can be equipped with a medium brush (grey) for cleaning the wood floor and a rigid one (black) for decking and intensive treatments. Lightweight, ultra-compact and easy to carry.

Technical features

Body height	140 mm
Body width	285 mm
Body length	330 mm
Front brush	Ø 86 700 rpm
Rear brush	Ø 54 1145 rpm
Working width	385 mm
Working capability	500 sqm/h
Induction motor power	400W 2800 rpm
Total tank capacity	4 L
Waste tank capacity	1,8 L
Total weight (empty)	11 kg

Wash Pro 35
Medium bristle grey brush set
Hard bristle black brush set

COD. FI01350A000
COD. FI01201A022
COD. FI01201A023



Floormac Floor cleaner

It thoroughly cleans floors in wood, natural stone and linoleum thanks to a disc that performs 1,450 rpm. Equipped with an anti-vibration system, it is balanced and easy to handle. Easy to carry, is equipped with a tilting handle.

Technical features

Max total power	290 Watt/230V
Oscillation speed	1450 rpm
Working width	33 cm
Height	25 cm
Cable length	7,5 meters
Weight with brush	13 kg

COD. FA04005A



EXTREME

SANDING MACHINES

Extreme

Sanding machine for wood floors

- Variable speed sanding machine with inverter, complete with:
- Planetary disc with 4 satellites Ø 150 mm, convertible to 3
- Velcro pad holder for Pad Ø 430 mm
- 4 hard Velcro pads Ø 150 mm
- 4 soft Velcro pads Ø 150 mm
- LED lights kit
- Additional 220V socket



TECHNICAL FEATURES

Max HP motor	4,0 HP
Volt	220
Hz	50
Aspiration absorption	W 1400
Motor speed	155 - 250 rpm
Planetary speed	800 - 1300 rpm
Working width	430 mm
Number of Tool Holders	4
Dimensions WxHxD cm	43x127x70 cm
Machine weight kg	77 (55+22)* kg
Planetary weight kg	12 kg

Planetary

The counter-rotating planetary in tempered steel with 4 tool holders allows you to always obtain a smoothing and regular sanding. Easy to assemble without the use of tools, it can be modified in a planetary with three pads to increase the mechanical action of the machine. Weight 12 kg.

Pad holder

The pad holder for the use of abrasive pads and screens to obtain the maximum efficiency in sanding, oiling and washing of the floor. Equipped with the same flange as the most common sanding machines on the market. Ø 430 mm.

*Sanding unit + carriage

COD. FA01006A000





EASYXAND

SANDING MACHINES

Easyxand

Easy to handle

- 4-satellite Ø150 mm planetary disc
- Velcro driver disc for Ø430 mm pad
- 4 hard velcro pads Ø150 mm
- 4 soft velcro pads Ø150 mm
- 3 additional weights
- LED light kit
- Additional 220V socket




TECHNICAL FEATURES

Motor	3,5 HP
Volt	220V
Frequency	50Hz
Motor Speed	140 rpm
Planetary Speed	800 rpm
Working Width	430 mm
Number of Tool Holders	4
Tool Holder Diameter	140 mm
Machine Weight without Planetary	51,5 Kg
Planetary Weight	10 Kg
Additional Weights	3 x 6,5 Kg


Grinding mode

wheel on the ground and oscillating head



Sanding mode

wheel lifted and fixed head





EXACT

SANDING MACHINES



Edge sander for wood floors

Exact is the edge sander designed for professionals seeking high performance and flawless results.

Ready for everyday use, easy to handle and comfortable to operate, it combines power and ergonomics to ensure fast, precise, and smooth operation, even on the hardest wood species.



WHY CHOOSE IT?

- High performance: powerful 2 HP motor ensures fast and effective sanding, even on hard woods and demanding jobs.
- Precision at the edges: excellent balance and ergonomic design provide maximum control for flawless edge finishing.
- Built to last: robust aluminium and steel construction guarantees reliability and durability over time.
- Easy and versatile use: dual abrasive fastening system allows quick and safe disc replacement.
- Smooth handling: precision-mounted wheels ensure fluid movement and effortless operation.
- Cleaner working conditions: efficient dust extraction improves visibility, reduces cleaning time, and creates a healthier workspace.

TECHNICAL FEATURES

Motor	Volt	Hz	Rotation speed	Abrasive size	Weight
1500 W	230	50/60	4.000 rpm/min	ø150mm	6 Kg



ACCESSORIES FOR EXTREME & EASYXAND		Tech. data	Code
	Velcro pads Backing pads for abrasive papers. They fit quickly into the tool holder of the planetary for perfect results in all conditions. Available both hard and soft. Ø 150 mm.	Hard	FA01251A000
		Soft	FA01252A000
	Diamond sanding pads Perfect for sanding wooden floors. They can sand deeply, they last about 100 times longer than a set of abrasive papers. They don't clog up and do not lose effectiveness even in the presence of hard finishes. Great flatness on large surfaces.	Ø 140 mm	FA01250A000
	Diamond blades for concrete Diamond blades for hard concrete. They guarantee a high removal rate reducing tool consumption.	Ø 140 mm Grit 20	FA01253A020
		Ø 140 mm Grit 40	FA01253A040
		Ø 140 mm Grit 70	FA01253A070
		Ø 140 mm Grit 140	FA01253A140
	Steel brush Steel brush suitable for deep brushing of wood floors on site.	Ø 140 mm	FA01254A000
	Tynex brush Tynex brush suitable for brushing wood floors on site. The use of the different grits allows to obtain a surface that is soft to the touch and without scratches.	Ø 140 mm Grit 36	FA01255A036
		Ø 140 mm Grit 70	FA01255A070
		Ø 140 mm Grit 120	FA01255A120
	Additional weight Easy to insert, without the use of tools.	17 kg	FA01248A000
	Liquid tank 18 lt liquid tank in shockproof ABS. Rod for delivery regulation in ergonomic position.	18 L	FA01249A000

VACUUM		Tech. data	Code
	POWER TOOL PRO Vacuum equipped with a new generation high efficiency and great power motor. Equipped with the three-stage filtration system to guarantee the best performance filtering and greater engine protection. The "SHOCKING VALVE" system allows the semi-automatic cleaning of the filter and ensures an extreme duration. Supplied with socket for electrical accessory with power of max 2000 W.	1250 W 36 L	FA05009A000
		1450 W 50 L	FA05010A000





DISCOVER
MORE

